



SOCKET SETS & ACCESSOIRES

Socket 6-point



article no	drive Inch/''	size mm	length mm	weight g
0350414C	1/4	4	25	13
0354514C	1/4	4,5	25	14
0350514C	1/4	5	25	14
0355514C	1/4	5,5	25	14
0350614C	1/4	6	25	12
0350714C	1/4	7	25	14
0350814C	1/4	8	25	17
0350914C	1/4	9	25	19
0351014C	1/4	10	25	20
0351114C	1/4	11	25	24
0351214C	1/4	12	27	29
0351314C	1/4	13	27	28
0351414C	1/4	14	27	30

Ratchet



article no	drive Inch/''	length mm	weight g
0360014C	1/4	150	165

Ratchet with square coupler




article no	drive Inch/''	length mm	weight g
0360141C	1/4	150	320

Extension bar



article no	drive Inch/''	length mm	weight g
0421430C	1/4	55	20
0421410C	1/4	100	60
0421420C	1/4	200	100

Hinged handle



article no	drive Inch/''	length mm	weight g
0410014C	1/4	165	160
0410015C	1/4	215	350

T-handle



article no	drive Inch/''	length mm	weight g
0400014C	1/4	200	160

Square point handle



article no	drive Inch/''	length mm	weight g
0400015C	1/4	140	65

Universal joint



article no	drive Inch/''	length mm	weight g
0400018C	1/4	55	55

Convert coupler

1/4 → 1/2''



article no	drive Inch/''	length mm	weight g
0400016C	1/4	30	40

Coupler



article no	drive Inch/''	length mm	weight g
0400017C	1/4	25	8



Socket set

1/4'' · 16pcs

article no	content	dimension	weight g
0430001C	1 plastic case 1 ratchet 1 extension bar each 1 pc. Socket	240 x 180 x 60 mm 1/4'' 100 mm 1/4'' 4 - 4,5 - 5 - 5,5 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	875

Other combinations on request!

1/4''

Socket 6-point



Socket 6-point Inch



article no	drive Inch/''	size mm	length mm	weight g
0350612S	1/2	6	40	50
0350712S	1/2	7	40	55
0350812S	1/2	8	40	50
0350912S	1/2	9	40	50
0351012S	1/2	10	40	50
0351112S	1/2	11	40	50
0351212S	1/2	12	40	50
0351312S	1/2	13	40	50
0351412S	1/2	14	40	55
0351512S	1/2	15	40	55
0351612S	1/2	16	40	60
0351712S	1/2	17	40	65
0351812S	1/2	18	40	75
0351912S	1/2	19	40	85
0352012S	1/2	20	40	95
0352112S	1/2	21	40	100
0352212S	1/2	22	40	110
0352312S	1/2	23	40	120
0352412S	1/2	24	40	125
0352512S	1/2	25	40	130
0352612S	1/2	26	40	145
0352712S	1/2	27	40	150
0352812S	1/2	28	40	175
0352912S	1/2	29	40	185
0353012S	1/2	30	40	195
0353212S	1/2	32	42	240
0353412S	1/2	34	50	300
0353612S	1/2	36	50	380
0354112S	1/2	41	50	450

article no	drive Inch/''	size Inch/''	length mm	weight g
0350100S	1/2	1/4	40	50
0350101S	1/2	5/16	40	50
0350102S	1/2	11/32	40	50
0350103S	1/2	3/8	40	50
0350104S	1/2	13/32	40	50
0350105S	1/2	7/16	40	50
0350106S	1/2	1/2	40	50
0350107S	1/2	9/16	40	55
0350108S	1/2	19/32	40	55
0350109S	1/2	5/8	40	60
0350110S	1/2	11/16	40	65
0350111S	1/2	3/4	40	85
0350112S	1/2	25/32	40	95
0350113S	1/2	13/16	40	95
0350114S	1/2	7/8	40	110
0350115S	1/2	15/16	40	120
0350116S	1/2	1	40	130
0350117S	1/2	1. 1/16	40	150
0350118S	1/2	1. 1/8	40	175
0350119S	1/2	1. 3/16	40	195
0350120S	1/2	1. 1/4	42	240

Socket 6-point long pattern



article no	drive Inch/''	size mm	length mm	weight g
0350001S	1/2	10	77	110
0350002S	1/2	12	77	135
0350003S	1/2	13	77	105
0350004S	1/2	14	77	110
0350005S	1/2	15	77	120
0350006S	1/2	16	77	125
0350007S	1/2	17	77	140
0350008S	1/2	18	82	145
0350009S	1/2	19	82	180
0350010S	1/2	21	82	205
0350011S	1/2	22	82	210
0350012S	1/2	24	82	250
0350013S	1/2	27	82	285
0350014S	1/2	30	82	345
0350015S	1/2	32	82	375
0350016S	1/2	34	82	415
0350025S	1/2	36	82	425

Ratchet



article no	drive Inch/''	length mm	weight g
0360012C	1/2	250	590


Ratchet with square coupler



article no	drive Inch/''	length mm	weight g
0360121C	1/2	250	430


1/2"

Extension bar



article no	drive Inch/''	length mm	weight g
0420002S	1/2	100	180
0421434S	1/2	200	315
0420121S	1/2	250	360

Hinged handle



article no	drive Inch/''	length mm	weight g
0410012S	1/2	215	350
0410013S	1/2	250	560
0410016S	1/2	300	920
0410101S	1/2	380	590

T-handle



article no	drive Inch/''	length mm	weight g
0400114S	1/2	250	450
0400012S	1/2	320	550

Convert coupler

1/2 → 3/4"



article no	drive Inch/''	length mm	weight g
0400116S	1/2	22	120

Reducer

1/2 → 1/4"



article no	drive Inch/''	length mm	weight g
0400119S	1/2	40	60

Coupler



article no	drive Inch/''	length mm	weight g
0400117S	1/2	36,5	46

Further dimensions on request!

Universal joint



article no	drive Inch/''	length mm	weight g
0400118S	1/2	70	135

Sliding T-wrench



article no	drive Inch/''	length mm	weight g
0370012S	1/2	245	500

Offset handle



article no	drive Inch/''	length mm	weight g
0400120S	1/2	220	260
0400121S	1/2	260	400

Hinged handle with t-handle



article no	drive Inch/''	length mm	weight g
0400123S	1/2	460	755

Speed handle



article no	drive Inch/''	length mm	weight g
0400122S	1/2	410	615

Torque wrench



article no	drive Inch/''	Nm	weight g
9991082C	1/2''	30-150	1500

1/2''

Socket sets

1/2"

article no	content	weight g	
04300055	1 plastic case 1 ratchet 1 extension bar each 1 pc. Socket	12pcs 1/2" 100 mm 1/2" 10 - 11 - 13 - 14 - 15 17 - 19 - 22 - 24 mm	2000

04300045	1 plastic case 1 ratchet each 1 pc. Socket	24pcs 1/2" 1/2" 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 22 - 23 - 24 - 25 - 26 - 27 28 - 29 - 30 - 32 mm	4100
----------	--	--	------

04300105	1 plastic case 1 ratchet 1 extension bar each 1 pc. Socket	25pcs 1/2" 250 mm 1/2" 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 22 - 23 - 24 - 25 - 26 - 27 28 - 29 - 30 - 32 mm	4100
----------	---	--	------

04300025	1 plastic case 1 ratchet 1 extension bar 1 sliding tee 1 hinged handle each 1 pc. Socket	27pcs 1/2" 250 mm 320 mm 380 mm 1/2" 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 22 - 23 - 24 - 25 - 26 - 27 28 - 29 - 30 - 32 mm	5300
----------	---	--	------



Other combinations on request!

Screwdriver socket



article no	drive Inch/''	blade mm	length mm	weight g
0440000S	1/2	4	60	140
0440001S	1/2	6	60	140
0440002S	1/2	8	60	140
0440003S	1/2	10	60	140

Cross slot screw driver socket



article no	drive Inch/''	blade mm	length mm	weight g
0440004S	1/2	1	60	140
0440005S	1/2	2	60	140
0440006S	1/2	3	60	140
0440007S	1/2	4	60	140

Screw driver socket

- with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0440008S	1/2	4	60	65
0440009S	1/2	5	60	70
0440010S	1/2	6	60	70
0440011S	1/2	7	60	75
0440012S	1/2	8	60	80
0440013S	1/2	9	60	85
0440014S	1/2	10	60	95
0440015S	1/2	12	60	115
0440016S	1/2	14	60	145
0440017S	1/2	17	60	205
0440018S	1/2	19	60	230

Screw driver socket

long pattern - with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0440028S	1/2	5	90	90
0440029S	1/2	5	180	125
0440030S	1/2	6	90	80
0440031S	1/2	6	140	120
0440032S	1/2	6	160	135
0440033S	1/2	7	90	90
0440034S	1/2	8	90	90
0440035S	1/2	8	120	105
0440036S	1/2	10	140	150
0440037S	1/2	12	140	190
0440038S	1/2	14	140	250

Further dimensions on request!

1/2"

1/2"

Screw driver socket sets

- with hexagon bit -

article no	content	weight g
0440039S	1 wooden case 10pcs each 1 pc. socket 1/2" 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 17 mm	1240
0440040S	1 wooden case 12pcs 1 ratchet 1/2" 1 extension bar 250 mm each 1 pc. socket 1/2" 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 17 mm	2990
0440041S	1 wooden case 16pcs each 1 pc. socket 1/2" 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 17 mm each 1 pc. socket 1/2" 5-90, 6-90, 8-90, 10-140 12-140, 14-140	2790

Other combination on request!



Socket 6-point



article no	drive Inch/''	size mm	length mm	weight g
0351834S	3/4	18	60	180
0351934S	3/4	19	60	180
0352134S	3/4	21	60	180
0352234S	3/4	22	60	180
0352434S	3/4	24	55	350
0352534S	3/4	25	55	350
0352634S	3/4	26	50	330
0352734S	3/4	27	50	300
0352834S	3/4	28	50	300
0352934S	3/4	29	50	300
0353034S	3/4	30	50	310
0353234S	3/4	32	60	375
0353334S	3/4	33	60	450
0353434S	3/4	34	60	465
0353534S	3/4	35	55	400
0353634S	3/4	36	60	430
0353834S	3/4	38	60	490
0354134S	3/4	41	65	560
0354234S	3/4	42	65	600
0354634S	3/4	46	65	655
0355034S	3/4	50	70	785
0355534S	3/4	55	70	900
0355834S	3/4	58	60	950
0356034S	3/4	60	70	1290

Socket 6-point Inch



3/4"

article no	drive Inch/''	size Inch/''	length mm	weight g
0356035S	3/4	7/8	60	180
0356036S	3/4	15/16	55	350
0356037S	3/4	1	55	350
0356038S	3/4	1. 1/16	50	300
0356039S	3/4	1. 1/8	50	300
0356040S	3/4	1. 1/4	60	375
0356041S	3/4	1. 5/16	60	400
0356042S	3/4	1. 3/8	55	400
0356043S	3/4	1. 7/16	60	430
0356044S	3/4	1. 1/2	60	490
0356045S	3/4	1. 9/16	65	560
0356046S	3/4	1. 5/8	65	560
0356047S	3/4	1. 11/16	65	600
0356048S	3/4	1. 3/4	65	655
0356049S	3/4	1. 13/16	65	655
0356050S	3/4	1. 7/8	70	700
0356051S	3/4	2	70	785

Ratchet



article no	drive Inch/''	length mm	weight g
0360034C	3/4	300	1900

Ratchet with square coupler




article no	drive Inch/''	length mm	weight g
0360134C	3/4	300	1800

Extension bar




article no	drive Inch/''	length mm	weight g
0400124S	3/4	100	350
0420003S	3/4	250	700
0420134S	3/4	380	1670
0400126S	3/4	430	1500

Hinged handle



article no	drive Inch/''	length mm	weight g
0410034S	3/4	380	755
0400128S	3/4	460	1300
0400129S	3/4	550	1950

Sliding t-handle



article no	drive Inch/''	length mm	weight g
0400130S	3/4	260	600
0400034S	3/4	500	1480

Convert coupler

3/4 → 1''



article no	drive Inch/''	length mm	weight g
0400131S	3/4	61	325

Reducer

3/4 → 1/2''



article no	drive Inch/''	length mm	weight g
0400135S	3/4	57	165

Coupler



article no	drive Inch/''	length mm	weight g
0400132S	3/4	51,5	135

Universal joint



article no	drive Inch/''	length mm	weight g
0400133S	3/4	85	550
0400134S	3/4	106	570

Sliding t-wrench



article no	drive Inch/''	length mm	weight g
0370034S	3/4	260	850

Offset handle



article no	drive Inch/''	length mm	weight g
0400136S	3/4	300	800

Hinged handle with t-handle



article no	drive Inch/''	length mm	weight g
0400138S	3/4	560	1200

Speed handle



article no	drive Inch/''	length mm	weight g
0400137S	3/4	380	1250

3/4"



Socket set

3/4" · 12pcs

article no	content	weight g
0430003S	1 wooden case	12700
	1 ratchet 3/4"	
	1 extension bar 380 mm	
	1 sliding tee 500 mm	
	1 hinged handle 380 mm	
	each 1 pc. Socket 3/4"	
	36 - 38 - 41 - 46	
	50 - 55 - 60 mm	

Screw driver socket

- with hexagon bit -



article no	drive Inch/"	blade mm	length mm	weight g
0440043S	3/4	14	80	350
0440045S	3/4	17	80	390
0440046S	3/4	19	80	435
0440047S	3/4	22	80	480
0440104S	3/4	24	80	520
0440105S	3/4	27	80	550
0440107S	3/4	30	80	570
0440108S	3/4	32	80	590
0440109S	3/4	36	80	620
0440110S	3/4	41	90	720
0440111S	3/4	46	90	820

Other combinations on request!

Socket 6-point



Socket 6-point Inch



article no	drive Inch/''	size mm	length mm	weight g
0353201S	1	32	60	510
0353601S	1	36	65	550
0354101S	1	41	70	730
0354201S	1	42	65	710
0354601S	1	46	65	710
0355001S	1	50	70	930
0355501S	1	55	75	1130
0356001S	1	60	75	1350
0356501S	1	65	75	1500
0357001S	1	70	85	1750
0357501S	1	75	85	2300
0358001S	1	80	85	2500
0358501S	1	85	90	2800
0359001S	1	90	85	4400
0359501S	1	95	85	4500
0354001S	1	100	85	4600

article no	drive Inch/''	size Inch/''	length mm	weight g
0354002S	1	1. 7/16	65	550
0354003S	1	1. 1/2	65	680
0354004S	1	1. 5/8	70	730
0354005S	1	1. 11/16	65	710
0354006S	1	1. 13/16	65	710
0354007S	1	1. 7/8	65	730
0354008S	1	2	70	930
0354009S	1	2. 1/16	70	950
0354010S	1	2. 3/16	75	1130
0354011S	1	2. 1/4	75	1130
0354012S	1	2. 3/8	75	1350
0354013S	1	2. 7/16	75	1400
0354014S	1	2. 9/16	75	1500
0354015S	1	2. 5/8	75	1550
0354016S	1	2. 3/4	85	1750
0354017S	1	2. 13/16	85	1750
0354018S	1	2. 15/16	85	2300
0354025S	1	3	85	2350
0354019S	1	3. 1/8	85	2500
0354020S	1	3. 3/8	90	2800
0354021S	1	3. 1/2	90	4400
0354022S	1	3. 3/4	90	4500
0354023S	1	3. 7/8	90	4600
0354024S	1	4. 1/4	90	5000

Ratchet



Ratchet with square couple



article no	drive Inch/''	length mm	weight g
0360100C	1	550	3400

article no	drive Inch/''	length mm	weight g
0361100C	1	550	3500

1"

Extension bar




article no	drive Inch/''	length mm	weight g
0421510S	1	100	800
0421520S	1	250	1400
0421522S	1	400	2090

Coupler



article no	drive Inch/''	length mm	weight g
0400140S	1	68	325

Hinged handle




article no	drive Inch/''	length mm	weight g
0410100S	1	380	1200

Universal joint



article no	drive Inch/''	length mm	weight g
0400141S	1	141	1450

Sliding t-handle



article no	drive Inch/''	length mm	weight g
0400139S	1	700	3985


Reducer

1 → 3/4"



article no	drive Inch/''	length mm	weight g
0400142S	1	75	540

Offset handle



article no	drive Inch/''	length mm	weight g
0400143S	1	300	1000

Speed handle



article no	drive Inch/''	length mm	weight g
0400144S	1	380	1400

Hinged handle with t-handle



article no	drive Inch/''	length mm	weight g
0400145S	1	660	1700

Screw driver socket

- with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0440048S	1	17	90	580
0440049S	1	19	90	665
0440050S	1	22	90	710
0440051S	1	24	90	765
0440052S	1	27	90	860
0440100S	1	30	90	910
0440101S	1	32	90	950
0440102S	1	36	90	990
0440103S	1	41	100	1200
0440112S	1	46	100	1400

Socket sets

1" · AF



article no	content	weight g
0430006S	1 wooden case	24pcs
	1 ratchet	1"
	each 1 pc. Socket	1"
		36 - 41 - 46 - 50 - 55 - 60
		65 - 70 - 75 - 80 mm
	1 extension bar	250 mm
	1 extension bar	400 mm
	each 1 pc. Socket	1"
		1. 1/2 - 1. 5/8 - 1. 7/8 - 2
		2. 1/16 - 2. 1/4 - 2. 3/8
	2. 9/16 - 2. 3/4 - 3	
0430007S	1 wooden case	14pcs
	1 ratchet	1"
	each 1 pc. Socket	1"
		36 - 41 - 46 - 50 - 55 - 60
		65 - 70 - 75 - 80 mm
	1 extension bar	250 mm
	1 extension bar	400 mm

Other combination on request!

Impact socket 6-point

- with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351028S	1/2	10	35	80
0351029S	1/2	11	35	80
0351030S	1/2	12	40	85
0351031S	1/2	13	40	85
0351032S	1/2	14	40	85
0351033S	1/2	15	40	90
0351034S	1/2	16	40	90
0351035S	1/2	17	40	120
0351036S	1/2	18	40	125
0351037S	1/2	19	40	125
0351038S	1/2	21	40	125
0351039S	1/2	22	40	120
0351040S	1/2	23	40	140
0351024S	1/2	24	48	160
0351027S	1/2	27	45	190
0351015S	1/2	30	45	210
0351016S	1/2	32	45	220

Impact socket 6-point

long pattern - with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351041S	1/2	8	85	120
0351042S	1/2	10	85	140
0351043S	1/2	13	85	175
0351044S	1/2	14	85	185
0351045S	1/2	16	85	245
0351046S	1/2	17	85	250
0351047S	1/2	18	85	265
0351048S	1/2	19	85	270
0351049S	1/2	21	85	305
0351051S	1/2	22	85	330
0351052S	1/2	23	85	350
0351053S	1/2	24	85	370
0351054S	1/2	27	85	435
0351017S	1/2	30	85	460
0351018S	1/2	32	85	490

Impact socket

- with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0351055S	1/2	5	44	63
0351056S	1/2	6	44	65
0351057S	1/2	8	44	75
0351058S	1/2	10	44	90
0351059S	1/2	12	50	125
0351060S	1/2	14	50	130
0351061S	1/2	17	50	150
0351019S	1/2	22	50	170
0351020S	1/2	24	60	210
0351021S	1/2	27	60	240
0351022S	1/2	30	60	260
0351023S	1/2	32	60	270

Impact extension bar



article no	drive Inch/''	length mm	weight g
0351110S	1/2	100	250
0351062S	1/2	200	380
0351063S	1/2	250	470

Impact universal joint



article no	drive Inch/''	length mm	weight g
0351066S	1/2	72	175

Impact convert coupler

1/2 → 3/4"



article no	drive Inch/''	length mm	weight g
0351064S	1/2	45	145

Impact snap ring



article no	drive Inch/''	size mm	Ø mm	weight g
0351067S	1/2	up to size 14	19	5
0351068S	1/2	from size 15	24	15

Impact reducer

1/2 → 1/4"



article no	drive Inch/''	length mm	weight g
0351065S	1/2	44	25

Impact safety pin



article no	drive Inch/''	size mm	Ø mm	weight g
0351069S	1/2	up to size 14	3 x 20	10
0351070S	1/2	from size 15	3 x 25	15

1/2"

Impact socket 6-point

- with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351071S	3/4	17	45	295
0351072S	3/4	18	45	305
0351073S	3/4	19	45	305
0351074S	3/4	22	48	350
0351075S	3/4	24	55	340
0351076S	3/4	27	55	380
0351077S	3/4	30	50	400
0351078S	3/4	32	55	480
0351079S	3/4	33	52	425
0351080S	3/4	34	55	475
0351081S	3/4	36	60	600
0351082S	3/4	38	58	485
0351083S	3/4	41	65	800
0351109S	3/4	46	65	950
0351204S	3/4	50	72	1300
0351205S	3/4	55	76	1470
0351206S	3/4	60	82	1720

Impact socket 6-point

long pattern - with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351084S	3/4	17	90	745
0351085S	3/4	19	90	730
0351086S	3/4	21	90	750
0351087S	3/4	22	90	750
0351088S	3/4	24	90	735
0351089S	3/4	27	90	665
0351090S	3/4	30	90	625
0351091S	3/4	32	90	795
0351092S	3/4	33	90	715
0351093S	3/4	34	90	860
0351094S	3/4	36	90	745
0351095S	3/4	41	90	925
0351114S	3/4	46	90	1150
0350122S	3/4	50	90	1610
0350123S	3/4	55	90	1800
0350124S	3/4	60	90	2150

Impact socket

- with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0351096S	3/4	14	50	295
0351097S	3/4	17	50	335
0351098S	3/4	19	50	345
0351099S	3/4	22	50	395

3/4"

Impact extension bar



article no	drive Inch/''	length mm	weight g
0351101S	3/4	100	400
0351102S	3/4	250	1300
0351103S	3/4	380	1500
0351111S	3/4	430	2100

Impact universal joint



article no	drive Inch/''	length mm	weight g
0351106S	3/4	110	620

Impact convert coupler

3/4 → 1"



article no	drive Inch/''	length mm	weight g
0351104S	3/4	65	455

Impact snap ring



article no	drive Inch/''	Ø mm	weight g
0351107S	3/4	36	5

Impact reducer

3/4 → 1/2"



article no	drive Inch/''	length mm	weight g
0351105S	3/4	65	355

Impact safety pin



article no	drive Inch/''	Ø mm	weight g
0351108S	3/4	4 x 35	5

3/4"

Impact socket 6-point

- with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351115S	1	22	55	615
0352400S	1	24	60	515
0352700S	1	27	65	700
0353000S	1	30	60	705
0353200S	1	32	57	700
0351120S	1	33	59	715
0351121S	1	34	59	750
0353600S	1	36	70	870
0351123S	1	38	62	800
0354100S	1	41	70	805
0351125S	1	42	62	865
0354600S	1	46	80	1420
0355000S	1	50	70	1250
0355500S	1	55	90	1930
0356000S	1	60	90	2100
0356500S	1	65	90	2300
0357000S	1	70	95	2400
0357500S	1	75	95	3200
0358000S	1	80	96	3750

Impact extension bar



article no	drive Inch/''	length mm	weight g
0351151S	1	100	850
0351152S	1	250	1550
0351153S	1	400	2050

Impact socket 6-point

long pattern - with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351134S	1	22	100	1140
0351135S	1	24	100	1250
0351136S	1	27	100	1230
0351137S	1	30	100	1185
0351138S	1	32	100	1150
0351139S	1	33	100	1185
0351140S	1	34	100	1140
0351141S	1	36	100	1160
0351142S	1	38	100	1260
0351143S	1	41	100	1300
0351144S	1	46	100	1495

Impact socket

- with hexagon bit -



article no	drive Inch/''	size mm	length mm	weight g
0351145S	1	22	80	605
0351146S	1	24	80	650
0351147S	1	27	80	655
0351148S	1	30	80	675
0351149S	1	32	80	660
0351025S	1	36	100	1050
0351026S	1	41	100	1100
0351128S	1	46	100	1250

Impact convert coupler

1 → 1. 1/2"



article no	drive Inch/''	length mm	weight g
0351154S	1	115	1105

Impact snap ring



article no	drive Inch/''	size mm	Ø mm	weight g
0351157S	1	up to size 70	45	10
0351158S	1	from size 75+80	75	25

Impact reducer

1 → 3/4"



article no	drive Inch/''	length mm	weight g
0351155S	1	75	660

Impact safety pin



article no	drive Inch/''	size mm	Ø mm	weight g
0351159S	1	up to size 70	5 x 45	5
0351160S	1	from size 75+80	6 x 75	15

Impact universal joint



article no	drive Inch/''	length mm	weight g
0351156S	1	141	1430

Impact safety pin



article no	drive Inch/''	size mm	Ø mm	weight g
0351181S	1. 1/2	up to size 90	6 x 75	15
0351182S	1. 1/2	from size 95	8 x 110	40
0351195S	2. 1/2	from size 95	8 x 110	40

1"

Impact socket 6-point

- with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0350121S	1. 1/2	41	80	2180
0351116S	1. 1/2	46	80	2245
0351117S	1. 1/2	50	82	2350
0351118S	1. 1/2	55	88	2475
0351119S	1. 1/2	60	91	2755
0351122S	1. 1/2	65	95	3225
0351124S	1. 1/2	70	100	3595
0351126S	1. 1/2	75	105	3720
0351127S	1. 1/2	80	110	4345
0358500S	1. 1/2	85	120	5075
0359000S	1. 1/2	90	120	5630
0359500S	1. 1/2	95	125	7765
0351000S	1. 1/2	100	125	8380
0351050S	1. 1/2	105	125	9550
0351100S	1. 1/2	110	135	10615
0351150S	1. 1/2	115	135	10800
0351200S	1. 1/2	120	145	11785
0351250S	1. 1/2	125	145	11900

Impact snap ring



article no	drive Inch/''	size mm	Ø mm	weight g
0351179S	1. 1/2	up to size 90	75	25
0351180S	1. 1/2	from size 95	114	40
0351194S	2. 1/2	from size 95	114	40

Impact reducer

1. 1/2 → 1''



article no	drive Inch/''	length mm	weight g
0351178S	1. 1/2	95	2300
0351193S	2. 1/2 → 1. 1/2	145	6200

Impact socket 6-point

long pattern - with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351161S	1. 1/2	41	140	4420
0351162S	1. 1/2	46	140	4420
0351163S	1. 1/2	50	140	4255
0351164S	1. 1/2	55	140	4330
0351165S	1. 1/2	60	140	4710
0351166S	1. 1/2	65	140	5005
0351167S	1. 1/2	70	140	5250
0351168S	1. 1/2	75	140	5465
0351169S	1. 1/2	80	140	5615
0351170S	1. 1/2	85	140	6175
0351171S	1. 1/2	90	140	6825
0351172S	1. 1/2	95	150	10260
0351173S	1. 1/2	100	150	10395
0351174S	1. 1/2	105	150	11430
0351175S	1. 1/2	110	160	12855
0351176S	1. 1/2	115	160	12680
0351177S	1. 1/2	120	170	14380

Impact socket 6-point

- with groove and continuous bore hole, heavy duty -



article no	drive Inch/''	size mm	length mm	weight g
0351183S	2. 1/2	75	120	9600
0351184S	2. 1/2	80	120	10100
0351185S	2. 1/2	85	130	10000
0351186S	2. 1/2	90	130	10100
0351187S	2. 1/2	95	130	11200
0351188S	2. 1/2	100	140	12050
0351189S	2. 1/2	105	140	12600
0351190S	2. 1/2	110	150	13800
0351191S	2. 1/2	115	150	14100
0351192S	2. 1/2	120	155	15000